

Continental GT / GTC and CFS Tyre Matrix

- * Pirelli PZero was developed for rim width 9.5J
- * Pirelli PZero Rosso tyre was developed for rim width 9.0J
- * Fitting a PZero tyre to a 9.0J rim may compromise vehicle ride comfort and steering feel, but remains functionally acceptable.
- * Fitting a PZero Rosso tyre to a 9.5J rim may cause uneven tyre wear and is **NOT PERMITTED**
- * Yokohama 255/40 R20 101W M+S has been superseded by Pirelli 275/35 R20 102W M+S XL WINTER 270 SOTTOZERO
- * Tyre variants should not be mixed on a vehicle

		19"					20"			
		Pirelli	Pirelli	Dunlop	Pirelli	Pirelli	Pirelli	Pirelli	Yokohama	Pirelli
		275 / 40 ZR 19 105Y EL P-Zero Rosso	275 / 40 ZR 19 105Y BC XL P-Zero Rosso	245 / 45 R 19 102V M+S SP WINTER SPORTS M3	245 / 45 R 19 102V M+S XL WINTER 240 SOTTOZERO	275 / 40 R 19 105W M+S XL WINTER 240 SOTTOZERO	275 / 35 ZR 20 B XL P-Zero Rosso	275 / 35 ZR 20 B XL P-Zero	275 / 35 ZR 20 V103S ADVAN SPORT	275 / 35 R20 102W M+S XL WINTER 270 SOTTOZERO
		3W060131J	3W5601335	3W0601433	3W0601433A	3W0601433C	3W0601313L	3W0601313AA	3W0601313AC (3W0601313H)	3W0601433D
ESP Classic Spec										
CFS	Pre 08MY	5.7	Standard	✓	✓	✓	✓	✓	✓	✓
	Post 08MY	8.1	Standard	✓	✓	✓	✓	✓	✓	✓
	Post 09MY	8.1	Comfort	✓	✓	✓	✓	✓	✓	✓
	Post 09MY	8.1	Speed	✗	✗	✗	✗	✗	✗	✗
CGT GT60	Pre 08MY	5.7	Standard	✗	✗	✗	✗	✗	✗	✗
	Pre 08MY	5.7	Standard	✓	✓	✓	✓	✓	✓	✓
GTC	Post 08MY	8.1	Standard	✓	✓	✓	✓	✓	✓	✓
	Post 09MY	8.1	Standard	✓	✓	✓	✓	✓	✓	✓
	Pre 09MY	8.1	Speed	✗	✗	✗	✗	✗	✗	✗
	Post 09MY	8.1	Speed	✗	✗	✗	✗	✗	✗	✗
	Post 10MY	8.1	Supersports	✗	✗	✗	✗	✗	✗	✗
	Post 10MY	8.1	Supersports	✗	✗	✗	✗	✗	✗	✗
CGTC	Pre 08MY	5.7	Standard	✓	✓	✓	✓	✓	✓	✓
	Post 08MY	8.1	Standard	✓	✓	✓	✓	✓	✓	✓
	Post 09MY	8.1	Standard	✓	✓	✓	✓	✓	✓	✓
	Post 10MY	8.1	Speed	✗	✗	✗	✗	✗	✗	✗
	Post 11MY	8.1	Supersports	✗	✗	✗	✗	✗	✗	✗

Wheel				Model						Additional Parts Reqd	Snow Chains	Balance Weights	Valve	TPM Sensors	Option	Specifications																					
Style	Size	Part Number	Description	Weight (kg)	New CGT	New CGT Speed	New CGT V8	New CGT Convertible	New CGT Speed Convertible	New CGT V8 Convertible	Hubcap	Centre Badge Red / Black	Reinliner	Decorative Rim Trim Ring	Roadwheel Bolt Covers	Wheel Studs	Snow Chains	Build Centrax	Splice Spider	Nutlock	Sticks	Clips	Rubber	TPMS	Branded Valve Caps	115 MHz	133 MHz	TPMS Cradles	Wheel Covers (bags)	Wheel Load	Scr-Right Dia.	Bolt Hole Dia.	Pitch Circle Dia.				
	9.5 x 21 ET41	3W0 601 025CR	LGT METAL WHL 1 PC 21 PAINTED	14.5	✓	✓	✓	✓	✓	✓	3W060165AP	N/A	3W060175	3W060159C - Black 3W060159E - Red	N/A	WHT00812	X	X	X	✓	✓	✓	X	X	X	✓	✓	✓	✓	✓	✓	✓	✓	✓			
	9.5 x 21 ET41	3W0 601 025CS	LGT METAL WHL 1 PC 21 CHROME	17.50	✓	✓	✓	✓	✓	✓	3W060165AQ	N/A	3W060175	3W060159C - Black 3W060159E - Red	N/A	WHT00812	X	X	X	✓	✓	✓	X	X	X	✓	✓	✓	✓	✓	✓	✓	✓	✓			
	9.5 x 21 ET41	3W0 601 025DM	21" BLACK ELEGANCE WHEEL	14.00	✓	✓	✓	✓	✓	✓	3W060171G	N/A	3W060175	3W060159C - Black 3W060159E - Red	N/A	WHT00812	X	X	X	✓	✓	✓	X	X	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
	9.5 x 21 ET41	3W0 601 025DA	LGT METAL WHL 2 PC 21 POLISHED	17.50	✓	✓	X	✓	✓	X	N/A	3W060159C - Black 3W060159E - Red	N/A	N/A	BD000026C	WHT00812	X	X	X	✓	✓	✓	X	X	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
	9.5 x 21 ET41	3W0 601 025CT	LGT METAL WHL 2 PC 21 PAINTED	17.50	✓	✓	X	✓	✓	X	N/A	3W060159C - Black 3W060159E - Red	N/A	N/A	BD000026C	WHT00812	X	X	X	✓	✓	✓	X	X	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
	9.5 x 21 ET41	3W0601025CE	6 SPOKE PAINTED SILVER L8ZB	14.00	✓	✓	✓	✓	✓	✓	3W060162AS	3W060159E - Black 3W060159C - Red	3W060159E	3W060175	N/A	WHT00812	X	X	X	✓	✓	✓	X	X	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
	9.5 x 21 ET41	3W0 601 025CF	6 SPOKE CHROMED WHEEL	14.00	✓	✓	✓	✓	✓	✓	3W060162AT	3W060159E - Black 3W060159C - Red	3W060175	N/A	WHT00812	X	X	X	✓	✓	✓	X	X	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
	9.5 x 21 ET41	3W0 601 025DK	6 SPOKE PAINTED WHEEL (BLACK)	14.00	X	X	X	X	X	✓	3W060171C	3W060159E - Black 3W060159C - Red	3W060175	N/A	N/A	WHT00812	X	X	X	✓	✓	✓	X	X	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	9.5 x 21 ET41	3W0 601 025CG	10 SPOKE PAINTED WHEEL	14.90	✓	✓	✓	✓	✓	✓	3W060162BA	3W060159C	3W060175	N/A	N/A	WHT00812	X	X	X	✓	✓	✓	X	X	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	9.5 x 21 ET41	3W0 601 025CH	10 SPOKE CHROME WHEEL	14.90	✓	✓	✓	✓	✓	✓	3W060162BB	3W060159C	3W060175	N/A	N/A	WHT00812	X	X	X	✓	✓	✓	X	X	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	9.5 x 21 ET41	3W0 601 025EE	10 SPOKE POLISHED WHEEL	14.90	✓	✓	✓	✓	✓	✓	3W060171N	3W060159C	3W060175	N/A	N/A	WHT00812	X	X	X	✓	✓	✓	X	X	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	9.5 x 21 ET41	3W0 601 025DN	TWIN 10 SPOKE PAINTED WHEEL (SILVER)	15.00	X	✓	X	X	X	X	N/A	3W060170P	3W060175A	N/A	BD000026C	WHT00812	X	X	X	✓	✓	✓	X	X	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	9.5 x 21 ET41	3W0 601 025DP	TWIN 10 SPOKE PAINTED WHEEL (DARK TNT)	15.00	X	✓	X	X	X	X	N/A	3W060170P	3W060175A	N/A	BD000026C	WHT00812	X	X	X	✓	✓	✓	X	X	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓



New Continental - 21" Wheels and Tyres

Please refer to tyre applicability matrix

New Continental GT / GT Convertible Tyre Matrix

- * Summer tyres marked 'B' are W12 Fitment only
- * Summer tyres marked 'BL' are V8T+ Fitment only
- * Only use snow chains with 275/35 R20 Pirelli Winter tyres
- * Tyre variants should not be mixed on a vehicle

		20"				21"			
		Pirelli	Pirelli	Pirelli	Pirelli	Pirelli	Pirelli	Pirelli	Dunlop
	Classic Spec	3W0601313AD	3W0601313AT	3W0601433D	3W0601433E	3W0601313AE	3W0601313BA	4W0601313B	3W0601433F
New GT	W12	<	<	<	<	<	<	<	<
	W12 Speed	X	X	<	<	X	X	X	X
	V8	X	<	<	<	X	X	X	X
New GT Convertible	W12	<	<	<	<	<	<	<	<
	W12 Speed	X	X	<	<	X	X	X	X
	V8	X	<	<	<	X	X	X	X
		275 / 40 R 20 106 Y XL P-ZERO B PIRELLI	275 / 40 R 20 106 Y XL P-ZERO BL PIRELLI	275 / 35 R20 102W M+S SOTTOZERO II(SNOW CHAIN) B PIRELLI SP	275 / 40 R 20 106W M+S SOTTOZERO II B PIRELLI	275 / 35 ZR 21 103Y XL P-ZERO B	275 / 35 ZR 21 103Y XL P-ZERO BL	275 / 35 ZR 21 103Y XL P-ZERO BL	275 / 35 R21 103W M+S SP WINTER SPORT 3D B DUNLOP

Wheel				Mode	Additional Parts Req'd	Snow Chains	Balance Weights	Valve	TPM Sensors	Option	Specifications																	
<p style="text-align: center;">New Continental - 20" Wheels and Tyres</p> <div style="border: 1px solid black; padding: 5px; text-align: center; color: red; font-weight: bold;"> Please refer to tyre applicability matrix </div>				Weight (kg)	New Flying Spur	Hubcap	Centre Badge Red / Black	Retainer (cap)	Decorative Rim Trim Ring	Roadwheel Bolt Covers	Wheel Studs	RH 20248	3W0 860 907	3W0 860 907A	3Y0 860 907B	TAB 000 283AP	3W8 601 361A	3W0 601 367	4F0 907 275H	4F0 907 275D	JNV 018 927	JNV 600 025	775 kg	57 mm	15 x 5 mm	112 mm		
												Snow Chains	Rued Centrax	Spike Spider	Auroseck	Sticken	Rubber	Branded Valve Caps	315 MHz	433 MHz	Tyre Cradles	Wheel Covers (bags)	Wheel Load	Cir Spigo Dia.	Box hole Dia.	Pitch Circle Dia.		
	Standard	9.5 J X 20 ET41	3W0 601 025DB	LGT METAL WHL L ALLOY PAINTED	14.00	✓	3W060117E	3W0 601 157 - Black	3W0601157A - Red	3W0601144	3W0601159B	N/A	WHT001812	X	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Option	9.5 J X 20 ET41	3W0 601 025DC	LGT METAL WHL LI ALLOY CHROME	14.00	✓	3W0601171A	3W0 601 157 - Black	3W0601157A - Red	3W0601144	3W0601159B	N/A	WHT001812	X	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

spike spider can only be fitted to 3W0601433D Winter Tyre

New Flying Spur Tyre Matrix

- * Ensure correct 'B' or 'BL' marked Summer tyres are used in line with Matrix
- * Only use snow chains with 275/35 R20 Pirelli Winter tyres
- * Tyre variants should not be mixed on a vehicle

Classic Spec
New Flying Spur | W12

19"	
4W0601313	Pirelli 275 / 45 ZR 19 108 Y XL P- ZERO B PIRELLI

20"			
3W0601313AD	Pirelli 275 / 40 ZR 20 106 Y XL P- ZERO B PIRELLI	3W0601313AT	Pirelli 275 / 40 ZR 20 106 Y XL P- ZERO BL PIRELLI
		3W0601433D	Pirelli 275 / 35 R20 102W M+S SOTTOZERO !!(SNOW CHAIN) B PIRELLI SP
		3W0601433E	Pirelli 275 / 40 R 20 106W M+S SOTTOZERO !!B PIRELLI

21"			
3W0601313AE	Pirelli 275 / 35 ZR 21 103Y XL P- ZERO B	3W0601313BA	Pirelli 275 / 35 ZR 21 103Y XL P- ZERO BL
		4W0601313B	Pirelli 275 / 35 ZR 21 103Y XL P- ZERO BL
		3W0601433F	Dunlop 275 / 35 R21 103W M+S SP WINTER SPORT 3D B DUNLOP

Mulsanne Tyre Matrix

- * Ensure correct 'B' marked tyres are used in line with Matrix
- * Tyre variants should not be mixed on a vehicle

	Classic Spec
Mulsanne	V8

20"		
Pirelli	Dunlop	Pirelli
265 / 45 ZR 20 108 Y EL P-ZERO PIRELLI	265 / 45 ZR 20 108Y EL SP Sports Maxx GT DUNLOP	265 / 45 R 20 108W M+S SOTTO SERIES II PIRELLI
3Y0601313	3Y0601313B	3Y0601433
<	<	<

	Dunlop
265 / 40 ZR 21 EL SP Sports Maxx GT DUNLOP	
3Y0601313E	
<	

Vehicle	Type	Size	Type	Supplier	Brand	Speed Break		Pressures		Pressures (psi)	
						Front	Rear	Front	Rear	Front	Rear
Continental GT											
Continental GT Speed	275/35R20	Summer	Pirelli	Pzero		<270	2.9	2.4	43	35	
						>270	3.4	2.8	49	41	
Continental GT Speed	275/35R20	Winter W	Pirelli	Sototzero II		<160	2.9	2.6	43	38	
						upto 270	3.2	2.9	46	43	
Continental GT Supersport	275/35R20	Summer	Pirelli	Pzero		<270	2.9	2.4	43	35	
						>270	3.4	2.8	49	41	
Continental GT Supersport	275/35R20	Winter W	Pirelli	Sototzero II		<160	2.9	2.6	43	38	
						upto 270	3.2	2.9	46	43	
Continental GT	275/35R20	Summer	Pirelli	Pzero		<270	2.9	2.4	43	35	
						>270	3.4	2.8	49	41	
Continental GT	275/35R20	Summer	Pirelli	Pzero Rosso		<200	2.4	2.1	35	31	
						>270	2.9	2.4	43	35	
Continental GT	275/35R20	Summer	Pirelli	Pzero Rosso		<270	3.4	2.8	49	41	
						>270	2.9	2.4	43	35	
Continental GT	275/40R19	Comfort	Pirelli	Pzero Rosso		<200	2.4	2.1	35	31	
						>270	2.9	2.4	43	35	
						>270	3.4	2.8	49	41	
Continental GT	275/40R19	Summer	Pirelli	Pzero Rosso		<270	2.9	2.4	43	35	
						>270	3.4	2.8	49	41	
Continental GT	275/40R19	Summer	Pirelli	Pzero Rosso		<270	2.9	2.4	43	35	
						>270	3.4	2.8	49	41	
Continental GT	255/40R20	Winter W	Yokohama	Advan		<160	2.9	2.6	43	38	
						upto 270	3.2	2.9	46	43	
Continental GT	275/35R20	Winter W	Pirelli	Sototzero II		<160	2.9	2.6	43	38	
						upto 270	3.2	2.9	46	43	
Continental GT	275/40R19	Winter W	Pirelli	Sototzero II		<160	2.9	2.6	43	38	
						upto 270	3.2	2.9	46	43	
Continental GT	275/40R19	Winter W	Pirelli	Sototzero II		<160	2.9	2.6	43	38	
						upto 240	3.2	2.9	46	43	
Continental GT	245/45R19	Winter V	Dunlop	Winter V		<160	2.9	2.6	43	38	
						upto 240	3.2	2.9	46	43	
Continental GT	245/45R19	Winter V	Pirelli	Sototzero		<160	2.9	2.6	43	38	
						upto 240	3.2	2.9	46	43	
Continental Flying Spur											
Continental Flying Spur Speed	275/35R20	Summer	Pirelli	Pzero		<270	2.7	2.5	40	36	
						>270	3.4	3.2	49	46	
Continental Flying Spur	275/35R20	Summer	Pirelli	Pzero Rosso		<200	2.4	2.1	35	31	
						>270	2.7	2.5	40	36	
Continental Flying Spur	275/35R20	Summer	Pirelli	Pzero Rosso		<270	3.4	3.2	49	46	
						>270	2.7	2.5	40	36	
Continental Flying Spur	275/40R19	Comfort	Pirelli	Pzero Rosso		<200	2.4	2.1	35	31	
						>270	2.7	2.5	40	36	
Continental Flying Spur	275/40R19	Summer	Pirelli	Pzero Rosso		<270	3.4	3.2	49	46	
						>270	2.7	2.5	40	36	
Continental Flying Spur Speed	275/35R20	Winter W	Pirelli	Sototzero II		<160	2.9	2.6	43	38	
						upto 270	3.2	2.9	46	43	
Continental Flying Spur	255/40R20	Winter W	Yokohama	Advan		<160	2.9	2.6	43	38	
						upto 270	3.2	2.9	46	43	
Continental Flying Spur	275/40R19	Winter W	Pirelli	Sototzero II		<160	2.9	2.6	43	38	
						upto 270	3.2	2.9	46	43	
Continental Flying Spur	245/45R19	Winter V	Dunlop	Winter V		<160	2.9	2.6	43	38	
						upto 240	3.2	2.9	46	43	
Continental Flying Spur	245/45R19	Winter V	Pirelli	Sototzero		<160	2.9	2.6	43	38	
						upto 240	3.2	2.9	46	43	
Continental GTC											
Continental GTC Speed	275/35R20	Summer	Pirelli	Pzero		<270	2.7	2.5	40	36	
						>270	3.4	3.2	49	46	
Continental GTC Speed	275/35R20	Winter W	Pirelli	Sototzero II		<160	2.9	2.6	43	38	
						upto 270	3.2	2.9	46	43	
Continental GTC Supersport	275/35R20	Summer	Pirelli	Pzero		<270	2.7	2.5	40	36	
						>270	3.4	3.2	49	46	
Continental GTC Supersport	275/35R20	Winter W	Pirelli	Sototzero II		<160	2.9	2.6	43	38	
						upto 270	3.2	2.9	46	43	
Continental GTC	275/35R20	Summer	Pirelli	Pzero		<270	2.7	2.5	40	36	
						>270	3.4	3.2	49	46	
Continental GTC	275/35R20	Summer	Pirelli	Pzero Rosso		<200	2.4	2.1	35	31	
						>270	2.7	2.5	40	36	
Continental GTC	275/40R19	Comfort	Pirelli	Pzero Rosso		<200	2.4	2.1	35	31	
						>270	2.7	2.5	40	36	
Continental GTC	275/40R19	Summer	Pirelli	Pzero Rosso		<270	3.4	3.2	49	46	
						>270	2.7	2.5	40	36	
Continental GTC	275/40R19	Summer	Pirelli	Pzero Rosso		<200	2.4	2.1	35	31	
						>270	2.7	2.5	40	36	
Continental GTC	275/35R20	Winter W	Pirelli	Sototzero II		<160	2.9	2.6	43	38	
						upto 270	3.2	2.9	46	43	
Continental GTC	255/40R20	Winter W	Yokohama	Advan		<160	2.9	2.6	43	38	
						upto 270	3.2	2.9	46	43	
Continental GTC	275/40R19	Winter W	Pirelli	Sototzero II		<160	2.9	2.6	43	38	
						upto 270	3.2	2.9	46	43	
Continental GTC	245/45R19	Winter V	Dunlop	Winter V		<160	2.9	2.6	43	38	
						upto 240	3.2	2.9	46	43	
Continental GTC	245/45R19	Winter V	Pirelli	Sototzero		<160	2.9	2.6	43	38	
						upto 240	3.2	2.9	46	43	
New Continental GT											
New Continental GT	275/40R20	Summer	Pirelli	Pzero		<200 km/h	2.3	2.0	34	30	
						200 - 270 km/h	2.7	2.4	40	35	
						>270 km/h	3.1	2.7	45	40	
New Continental GT / Speed	275/35R20	Summer	Pirelli	Pzero		<200 km/h	2.5	2.2	36	32	
						200 - 270 km/h	3.0	2.7	44	40	
						>270 km/h	3.4	3.2	49	46	
New Continental GT	275/40R20	Winter W	Pirelli	Sototzero II		<200 km/h	2.8	2.6	41	38	
						Upto 270 km/h	3.4	3.2	49	46	
New Continental GT / Speed	275/35R20	Winter W	Dunlop	SP Winter Sport 3D		<200 km/h	2.5	2.2	36	32	
						Upto 270 km/h	3.4	3.2	49	46	
For New Continental GT SNOWCHAIN FITMENT											
New Continental GT	275/35R20	Winter W	Pirelli	Sototzero II		<200 km/h	2.3	2.2	34	32	
						Upto 270 km/h	3.2	3.0	46	44	
New Continental GT Convertible											
New Continental GT Convertible	275/40R20	Summer	Pirelli	Pzero		<200 km/h	2.3	2.0	34	30	
						200 - 270 km/h	2.7	2.4	40	35	
						>270 km/h	3.0	3.0	44	44	
New Continental GT Convertible	275/35R20	Summer	Pirelli	Pzero		<200 km/h	2.5	2.2	36	32	
						200 - 270 km/h	3.0	2.7	44	40	
						>270 km/h	3.3	3.3	48	48	
New Continental GT Convertible	275/40R20	Winter W	Pirelli	Sototzero II		<200 km/h	2.3	2.2	34	32	
						Upto 270 km/h	3.0	3.0	44	44	
New Continental GT Convertible	275/35R20	Winter W	Dunlop	SP Winter Sport 3D		<200 km/h	2.5	2.4	36	35	
						Upto 270 km/h	3.4	3.4	49	49	
For New Continental GT Convertible SNOWCHAIN FITMENT											
New Continental GT Convertible	275/35R20	Winter W	Pirelli	Sototzero II		<200 km/h	2.6	2.5	38	36	
						Upto 270 km/h	3.4	3.4	49	49	
New Flying Spur											
New Flying Spur	275/45R19	Summer	Pirelli	Pzero		<200 km/h	2.2	2.0	32	30	
						200 - 270 km/h	2.6	2.4	38	35	
						>270 km/h	3.1	2.9	45	43	
New Flying Spur	275/40R20	Summer	Pirelli	Pzero		<200 km/h	2.3	2.1	34	31	
						200 - 270 km/h	2.7	2.5	40	36	
						>270 km/h	3.3	3.0	48	44	
New Flying Spur	275/35R20	Summer	Pirelli	Pzero		<200 km/h	2.6	2.4	38	35	
						>270 km/h	3.0	2.8	44	41	
New Flying Spur	275/40R20	Winter W	Pirelli	Sototzero II		<200 km/h	2.4	2.1	35	31	
						Upto 270 km/h	3.3	3.0	48	44	
New Flying Spur	275/35R20	Winter W	Dunlop	SP Winter Sport 3D		<200 km/h	2.8	2.6	41	38	
						Upto 270 km/h					

EC No. 1222/2009	Rolling Resistance	C	4W0601313	19"	Pirelli 275 / 45 ZR 19 108 Y XL P-ZERO B PIRELLI
	Wet Grip	B			
	Noise dB(A)	73			
	Rolling Resistance Wet Grip	3 2			
MKE No. 2011/237					

Vehicle Applicability (please refer to tyre matrix for detailed information)

New GT	W12	X
	W12 Speed	X
	V8T	X
New GT Convertible	W12	X
	W12 Speed	X
	V8T	X
New Flying Spur		✓

EC No. 1222/2009	Rolling Resistance	E	3W0601313AD	20"	Pirelli 275 / 40 R 20 106 Y XL P-ZERO B PIRELLI
	Wet Grip	C	3W0601313AT		
	Noise dB(A)	73	3W0601433D		
	Rolling Resistance Wet Grip	4 1	3W0601433E		
MKE No. 2011/237					

✓	X	✓	✓
✓	X	✓	X
X	✓	✓	✓
✓	X	✓	✓
✓	X	✓	X
X	✓	✓	✓
✓	X	✓	✓

EC No. 1222/2009	Rolling Resistance	E	3W0601313AE	21"	Pirelli 275 / 35 ZR 21 103Y B P-ZERO B
	Wet Grip	C	3W0601313BA		
	Noise dB(A)	73	4W0601313B		
	Rolling Resistance Wet Grip	4 1	3W060143BF		
MKE No. 2011/237					

✓	X	X	✓
✓	X	X	✓
X	✓	✓	✓
✓	X	X	✓
✓	X	X	✓
X	✓	✓	✓
X	X	✓	✓

EC No. 1222/2009	Rolling Resistance	E	3Y0601313	20"	Dunlop 265 / 45 ZR 20 108 Y EL P-ZERO PIRELLI
	Wet Grip	B	3Y0601313B		
	Noise dB(A)	73	3Y0601433		
	Rolling Resistance Wet Grip	4 1	3Y0601433E		
MKE No. 2011/237					

Mulsanne V8

EC No. 1222/2009	Rolling Resistance	E	3Y0601313	20"	Dunlop 265 / 45 ZR 20 108Y EL SP Sports Maxx GT DUNLOP
	Wet Grip	C	3Y0601313B		
	Noise dB(A)	73	3Y0601433		
	Rolling Resistance Wet Grip	4 1	3Y0601433E		
MKE No. 2011/237					

✓ ✓ ✓

EC No. 1222/2009	Rolling Resistance	E	3Y0601313E	21"	Dunlop 265 / 40 ZR 21 EL SP Sports Maxx GT DUNLOP
	Wet Grip	B			
	Noise dB(A)	70			
	Rolling Resistance Wet Grip	4 2			
MKE No. 2011/237					

✓